

Highly effective Sanitiser - Up to 99.9999% effective germ killer



Nilaqua alcohol free advanced Hard Surface / Multi Surface cleaner and sanitiser range that is fast acting and a powerful germ killer, effective within 30 seconds yet kind to the individual and environment.

Using the latest Advanced Barrier Technology Nilaqua not only provides rapid kill against bacteria and viruses, but provides a residual barrier onto the surface that continues to work for at least 30 days after the initial application.

DID YOU KNOW?

Most alcohol gels do not kill two major germs... Norovirus or C-Diff

Fragrance Free Sanitiser

Surface Cleaner



FEATURES NILAQUA SANITISER

Nilagua alcohol free advanced sanitiser that is fast acting and a powerful germ killer. These are it's main features:

- NO WATER OR RINSING REQUIRED
- KILLS UP TO 99.9999% OF BACTERIA WITHIN 30 SECONDS
- KILLS NOROVIRUS, MRSA, E.COLI, SALMONELLA & C-DIFF AND MORE
- ALCOHOL FREE AND HOSPITAL
- **NON FLAMMABLE & NON TOXIC**
- REMAINS EFFECTIVE EVEN WHEN DRY FOR UP TO 6 HOURS ON THE SKIN
- FULLY COMPLIANT WITH EU BIOCIDE REGULATIONS
- TESTED FOOD SAFE AND HALAL COMPLIANT
- SAFE TO USE ON ALL SKIN TYPES
- UNIQUE REFILLABLE DISPENSER FOR HIGH USE AREA'S
- TESTED FOOD SAFE & HALAL COMPLIANT



















- Hospitals / Doctors / Dentists & Care **Homes**
- Work Place / Offices & Councils
- Prisons, Police & Mental Health
- Nurseries & Schools
- Hotels / Restaurants & Food Manufacturers







Sanitiser & Surface Cleaner are Tested to:

EN 1275

EN 1276

EN 1500

EN 1650


EN 1656

EN 13623

EN 13697

EN 13704 EN 13727

EN 14776



FEATURES NILAQUA SURFACE CLEANER

Nilagua alcohol free advanced Hard Surface / Multi Surface cleaner that is fast acting and a powerful germ killer, effective within 30 seconds. These are it's main features:

- KILLS NOROVIRUS, C-DIFF, MRSA, E.CÓLI, SALMÓNELLA & LISTÉRIA
- KILLS UP TO 99.9999% OF BACTERIA WITHIN 30 SECONDS
- LEAVES SURFACES BACTERIA FREE UP TO 30 DAYS
- ALCOHOL FREE AND VEGAN FRIENDLY
- NON FLAMMABLE & NON TOXIC
- SUITABLE FOR ALL SURFACES (NON TAINTING)
- FULLY COMPLIANT WITH EU BIOCIDE REGULATIONS
- TESTED FOOD SAFE AND HALAL COMPLIANT
- TESTED ON MEDICAL DEVICES
- NO WATER OR RINSING REQUIRED















UNFRAGRANCED RANGE

Nilaqua Instant HAND SANITISER PUIS





55ml Family Pocket Sanitiser Spray
55ml Pocket Sanitiser
100ml Pocket Spray
200ml Travel Foamer
500ml Desktop Sanitiser

Unlike Alcohol Equivalents, Nilaqua Won't sting any cuts on your skin Family Sanitiser:
Provides 6 hour
protection, ideal for
your school or
nursery day.

Killing the dreaded Norovirus aka Winter Vomiting Bug!

Business

500ml Foamer

Cannister Wipes - Surface / Hands

500ml Surface Spray

1L + 5L Refill Bottle

5L Floor Cleaner

Hand Operated Dispenser



You have seen how wonderful our sanitising solutions are. So lets show you how durable and clean our dispensing units are...

Dispenser:

Manual Foam Dispenser, ideal for all washrooms with high traffic. Holds up to 1000ml and made from durable ABS plastic.

Features:

The "Slim Look" design
Glossy shiny surface
Recessed window for viewing soap levels
Permanent install with screw sets or adhesive for effortless installation



Refillable Cartridge:

0.8ml bulk refill bottle made from PE material for chemical resistance and durability. With screw cap opening on top for easy refill. Ideal to dispense the perfect amount of foaming hand sanitizer. This is also an eco-friendly alternative reducing plastic use.

Features

1000ml Capacity
Long lasting – made from PE material for chemical resistance
0.8ml chemical volume per dispense
Using Nilaqua Refillable Dispensers sanitising costs become minimal, litres cost from as little as £4.20 + VAT.

Test Data Information

BS / EN 1275 Aspergillus Niger 5.28 10A.053M 9.0 BS / EN 1276 Candida Albicans 5.28 10A.053B 9.0 BS / EN 1276 Pseudomonas Aeruginosa 6.77 10A.053B 9.0 BS / EN 1276 Escherichia Coli 5.25 16C.022MEc.2 21.0 Staphylococcus Aureus 6.56 10A.053B 9.0 BS / EN 1276 (Std & 20%) Salmonella Typhimunium 6.8 10B.068SL 17.1 BS / EN 1276 (Std & 20%) Salmonella Typhimunium 6.8 10B.068SL 17.1 BS / EN 1276 (Std & 20%) Salmonella Typhimunium 6.8 10B.017MH 25.6 BS / EN 1276 (Std & 20%) Hygienic Handrub Test Pass 10B.117MD 25.6 BS / EN 1360 Hygienic Handrub Test Pass 10D.115HH 29.0 BS / EN 13623 Legionella Pneumophila 5.09 10A.053 29.0 BS / EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10C.151ST 21.0 BS / EN 13697 E Coli (Effective Killing for 30 Days) Pass	TEST DATA SUMMARY	List of all test data	TEST LOG REDUCTION	Test Number	Date
FEN 1279 Aspergillus Niger 5.2 10A.053M	77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	A 0 0 111.	G C	40 A OF DAM	000
Fin 1276 Candida Albicans 5.2 FEN 1276 Pseudomonas Aeruginosa 6.77 10A.053B Escherichia Coli 5.25 16C.022MEc2 Staphylococcus Aureus 6.56 10A.053B Fenterococcus Hirae 6.7 10A.053B Fenterococcus Hirae 6.7 10A.053B Fen 1276 (Std & 20%) Salmonella Typhimurium 6.8 10B.068SL I Listeria Monocytogenes 6.72 10B.068SL I EN 1276 Klebsiella Pneumoriae (NDM-1) 6.44 10B.117ND I EN 1279 Hygienic Handrub Test Pass 10B.117HH I EN 12791 Residual Activity After 6 Hours Pass 10A.053L I EN 13623 Legionella Pneumophila 5.09 10A.053L I EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10A.053T I E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 12/3	Aspergillus Niger	5.28	TUA.US3IM	9.02.10
FEN 1276 Pseudomonas Aeruginosa 6.77 10A.053B Escherichia Coli 5.25 16C.022MEc2 Staphylococcus Aureus 6.56 10A.053B Enterococcus Hirae 6.7 10A.053B FIN 1276 (Std & 20%) Salmonella Typhimurium 6.8 10B.068SL I Listeria Monocytogenes 6.72 10B.068SL I EN 1276 (Std & 20%) Salmonella Typhimurium 6.44 10B.117ND I EN 1276 (Std & 20%) Klebsiella Pneumoniae (NDM-1) 6.44 10B.117HH I EN 1279 (Statis Miling in 30 Secs) Fass 10D.115HH I EN 13623 (Egrective Killing in 30 Secs) 4.77 10A.053 I EN 13697 (Effective in Killing for 30 Days) Passs 10C.151ST I E Coli (Effective in Killing for 30 Days) Passs 10C.151ST		Candida Albicans	5.2		
FEN 1276 Pseudomonas Aeruginosa 6.77 10A.053B Escherichia Coli 5.25 16C.022MEc2 Staphylococcus Aureus 6.56 10A.053B Enterococcus Hirae 6.7 10A.053B Enterococcus Hirae 6.7 10A.053B Enterococcus Hirae 6.7 10A.053B Enterococcus Hirae 6.7 10A.053B EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND EN 1276 Hygienic Handrub Test Pass 10B.117HH EN 12791 Residual Activity After 6 Hours Pass 10D.115HH EN 13623 Legionella Pneumophila 5.09 10A.053L EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10C.151ST EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days) E Coli (Effective in Killing for 30 Days)					
Escherichia Coli 5.25 16C.022MEc2 Staphylococcus Aureus 6.56 10A.053B Enterococcus Hirae 6.7 10A.053B Enterococcus Hirae 6.7 10A.053B Listeria Monocytogenes 6.72 10B.068SL Listeria Monocytogenes 6.72 10B.068SL EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND FEN 1276 Hygienic Handrub Test Pass 10B.117HH FEN 12791 Residual Activity After 6 Hours Pass 10B.115HH EN 13623 Legionella Pneumophila 5.09 10A.053L EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10C.151ST EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective Killing for 30 Da	BS / EN 1276	Pseudomonas Aeruginosa	6.77	10A.053B	9.02.10
KEN 1276 (Std & 20%) Staphylococcus Aureus 6.56 10A.053B FEN 1276 (Std & 20%) Salmonella Typhimurium 6.72 10B.068SL FEN 1276 (Std & 20%) Listeria Monocytogenes 6.72 10B.068SL FEN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND FEN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117HD FEN 1276 Hygienic Handrub Test Pass 10B.117HH FEN 12791 Residual Activity After 6 Hours Pass 10D.115HH FEN 13623 Legionella Pneumophila 5.09 10A.053L FEN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10A.053 FEN 13697 MRSA (Effective Killing for 30 Days) Pass 10C.151ST FEN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST		Escherichia Coli	5.25	16C.022MEc2	21.03.16
Finterococcus Hirae 6.7 10A.053B Finterococcus Hirae 6.7 10A.053B Finteria Monocytogenes 6.72 10B.068SL Fisteria Monocytogenes 6.72 10B.0117ND Finteria Monocytogenes 6.72 10B.0117ND Finteria Monocytogenes 6.74 10B.0117ND Finteria Monocytogenes 6.44 10B.0117ND Finteria Monocytogenes 6.44 10B.0117ND Finteria Monocytogenes 10B.017ND 10B.017ND Finteria Monocytogenes 10B.017ND 10B.017ND Finteria Miling in 30 Secs) 5.09 10A.053L Finteria Miling in 30 Secs) 5.19 10A.053 Finteria Miling for 30 Days) Pass 10C.151ST Finteria Miling for 30 Days) Pass 10C.151ST		Staphylococcus Aureus	6.56	10A.053B	9.02.10
/ EN 1276 (Std & 20%) Salmonella Typhimurium 6.8 10B.068SL Listeria Monocytogenes 6.72 10B.117ND EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND / EN 1276 Hygienic Handrub Test Pass 10B.117HH / EN 1500 Hygienic Handrub Test Pass 10D.115HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 E Coli (Effective Killing in 30 Secs) 5.19 10A.053 / EN 13697 E Coli (Effective in Killing for 30 Days) Passs 10C.151ST E Coli (Effective in Killing for 30 Days) Passs 10C.151ST		Enterococcus Hirae	6.7	10A.053B	9.02.10
/ EN 1276 (Std & 20%) Salmonella Typhimurium 6.8 10B.068SL / EN 1276 Listeria Monocytogenes 6.72 10B.068SL / EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND / EN 1500 Hygienic Handrub Test Pass 10B.117HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13627 MRSA (Effective Killing in 30 Secs) 5.19 10A.053 / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST / E Coli (Effective in Killing for 30 Days) Pass 10C.151ST					
Listeria Monocytogenes 6.72 / EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND / EN 1500 Hygienic Handrub Test Pass 10B.117HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10A.053 / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST / E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 1276 (Std & 20%)		6.8	10B.068SL	17.02.10
/ EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND / EN 1500 Hygienic Handrub Test Pass 10B.117HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053 / EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10A.053 / EN 13697 E Coli (Effective Killing for 30 Days) 5.19 10C.151ST / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST		Listeria Monocytogenes	6.72		
/ EN 1276 Klebsiella Pneumoniae (NDM-1) 6.44 10B.117ND / EN 1500 Hygienic Handrub Test Pass 10B.117HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 5.19 10A.053 / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST					
/ EN 1500 Hygienic Handrub Test Pass 10B.117HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 E Coli (Effective Killing in 30 Secs) 5.19 10A.053 / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 1276	Klebsiella Pneumoniae (NDM-1)	6.44	10B.117ND	25.08.10
/ EN 1500 Hygienic Handrub Test Pass 10B.117HH / EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 E Coli (Effective In Killing for 30 Days) 5.19 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST					
/ EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 1500	Hygienic Handrub Test	Pass	10B.117HH	3.03.10
/ EN 12791 Residual Activity After 6 Hours Pass 10D.115HH / EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST					
/ EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 12791	Residual Activity After 6 Hours	Pass	10D.115HH	29.04.10
/ EN 13623 Legionella Pneumophila 5.09 10A.053L / EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST					
/ EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 / EN 13697 E Coli (Effective in Killing for 30 Days) 5.19 10C.151ST / EN 13697 E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 13623	Legionella Pneumophila	5.09	10A.053L	11.02.10
/ EN 13697 MRSA (Effective Killing in 30 Secs) 4.77 10A.053 E Coli (Effective Killing in 30 Secs) 5.19 10C.151ST / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST					
E Coli (Effective Killing in 30 Secs) 5.19 / EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass 10C.151ST	BS / EN 13697	MRSA (Effective Killing in 30 Secs)	4.77	10A.053	29.01.10
/ EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass		E Coli (Effective Killing in 30 Secs)	5.19		
/ EN 13697 MRSA (Effective in Killing for 30 Days) Pass 10C.151ST E Coli (Effective in Killing for 30 Days) Pass					
	BS / EN 13697	MRSA (Effective in Killing for 30 Days)	Pass	10C.151ST	21.05.10
		E Coli (Effective in Killing for 30 Days)	Pass		

BS / EN 13704 (5 Mins)	C. Difficile	5.34	10D.115.CD	29.04.10
BS / EN 13727 (Std)	MRSA	6.27	10A.053.MR	15.02.10
BS / EN 14348 (Neat)	Mycobacterium Avium	9:29	10B.117MB	22.02.10
	Mycobacterium Terrae	6.49		
Skin Sensitivity Test	No Adverse Dermatological Effect	Pass	10B.068ST	17.02.10
Stainless Steel Taint Test	No Residual Organoleptic Effect	Pass	10B.117t	5.03.10
BS / EN 1650 (1:20)	Asperaillus Niger	5.65	10D.140M20	17.05.10
	Candida Albicans	6.61		
BS / EN 1276	Cronobacter Sakazakii	5.36	10D.140CJ	24.06.10
	H	Č	007	0
lest Hand Wash 2 Hours	Residual lest after washing	Pass	12G.130HD	8.02.12
BS / EN 13727	Acinetobacter Baumannii	5.23	12K.138MAb	31.10.12
BS / EN 14476	Norovirus	Pass	BT-CSS-01	24.01.11
2016				
BS / EN 13727	Salmonella Typhimurium	5.36	16C.022MSt2	21.03.16
BS / EN 13727	Escherichia coli O157:H7	5.02	16C.022MEo2	21.03.16
BS / EN 13727	Escherichia coli K12	5.3	16C.022MEk2	23.03.16
BS / EN 13727	Listeria monocytogenes	5.37	16C.022MLm2	23.03.16
BS / EN 13727	Methicillin-resistant Staphylococcus aureus	5.41	16C.022MMr2	23.03.16
BS / EN 13704 (30 sec)	Clostridium difficile	3.1	16C.022ICd2	21.03.16

Log Reduction Explained

Log Reduction	% Of Germs	Fold Reduction
1 log	90	10
2 log	99	100
3 log	99.9	1000
4 log	99.99	10000
5 log	99.999	100000
6 log	99.9999	1000000

NHS Codes

MRB1051 - 100ml Spray

MRB1052 - Hand Operated Dispenser

MRB1053 - 500ml Foamer

MRB1054 - 200ml Foamer

MRB1081 - 5 Litre Refill

MRB1055 - 55ml Foamer



: www.waterlessltd.co.uk

: sales@waterlessItd.co.uk

: +44 (0)1453 357337